

Belgian DAC High-Speed Cable 200G



Overview

DAC and AOC Cables for High-Speed Interconnects Generic Compatible 200G QSFP56 DAC Twinax Cable (3-meter, Passive, QSFP56 to QSFP56, 26AWG) The 200G QSFP56 DAC primarily enables high-bandwidth 200G links and supports 200G Ethernet rate. 200G DAC Cables from JTOPTICS are Direct Attach Copper cables ideal for short-distance, cost-effective connectivity in top-of-rack or intra-rack applications. These cables provide low-latency, high-bandwidth solutions suitable for modern data center demands. 00 1 Question Length: Cable length could be customized in any length as you required. 5m (5ft) 2m (7ft) 3m. Siemon's 200G (50G per lane) PAM4 Ethernet or InfiniBand™ QSFP56 passive and active copper cable DAC1 assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data center network equipment direct connections. It supports 200Gbps data rates using four lanes of 50G PAM4 modulation, with transmission distances up to 7 meters.



Article Content

200G Direct Attach Copper DAC Cable

Designed for high-density, short-reach interconnects, these cables provide a cost-effective, low-power solution for flexible data center and high-speed networking deployments.

Direct Attach Cables (DAC) | Broadex Technologies

Direct Attach cables (DAC) Description Broadex Technologies' high performance and cost effective Direct Attach Cables (DAC) are built utilizing our innovative COB technology. Designed for use in

200G QSFP56 PCC/ACC

The GIGALIGHT 200G QSFP56 pluggable direct attach copper (DAC) cable is available in both Active Copper Cables (ACC) and Passive Copper Cables (PCC) supports 200G Ethernet and InfiniBand

200G QSFP56 Active DAC Cable | Direct Attach Cable

FiberWeek 200G QSFP56 passive DAC Cables are an efficient and cost-effective option for high-speed networking applications that require a short-range

200G QSFP56 DAC Cable | Passive Copper Direct Attach Cable

200G QSFP56 DAC direct attach copper cable for high-speed data center interconnects. Low latency, low power consumption and cost-effective solution for short-reach 200G Ethernet and InfiniBand

QSFP-DD Direct Attach Cables (200G/400G/800G DAC)

QSFP-DD Cables (QSFP-DD DAC Cables) by Amphenol Now In-Stock at Speeds up to 800.0 Gbps with 1600 Gbps Coming Soon! Amphenol is the leading QSFP-DD Direct Attach Cable (DAC)

200G QSFP28-DD Passive Copper DAC Cable 5m | AscentOptics

AscentOptics' 200G QSFP28-DD Copper Twinax Cable is a portfolio of passive Direct Attach Copper (DAC) cables as high-speed, cost-effective alternatives to fiber optics in 200G Ethernet applications.

200G QSFP56 Passive Direct Attach Copper Twinax

200G QSFP56 Passive Direct Attach Copper Twinax Cable Supports aggregate data rates of 200Gbps (PAM4). Minimum Bend Radius 35mm for Flexible

200G Transceivers and Cables

200G Transceivers Guide 200G transceivers, Active Optical Cables (AOCs), and Direct Attach Copper (DAC) cables are essential for high-speed networking in

High-Speed Direct Attach Cable (DAC) Assemblies

Molex High-Speed Direct Attach Cable (DAC) Assemblies deliver data rates as high as 100Gbps with cable lengths ranging from 0.50m to 5m.

200Gbps QSFP56 Passive High Speed Cable (DAC)

Description 200G QSFP56 passive cable assembly products, based on 4X25G/4X28G or 4*50G/4*56G(pam-4) of 200G switches, servers, products application needs. The QSFP56 cable

200G DAC

The cable features a hot – pluggable QSFP56 form factor, low power consumption (<4W), and RoHS compliance. It is ideal for 200G Ethernet and InfiniBand HDR applications in data centers and high –

Spec Sheet

Regional Availability — Global Siemon's 200G (50G per lane) PAM4 Ethernet or InfiniBand™ QSFP56 passive and active copper cable DAC1 assemblies are designed to exceed industry standard

Direct Attach Copper (DAC) Cables

High-speed Volex Direct Attach Copper (DAC) cables deliver reliable, energy-efficient data transfer for data centers. Customizable, tested and ready to deploy.

200G QSFP28-DD Passive Copper DAC Cable 5m | AscentOptics

The 200G QSFP-DD DAC cable contains 16 high-speed copper pairs, each operating at data rates of up to 25Gb/s. Each QSFP-DD port comprises an EEPROM providing product information, which can be

200GbE QSFP56 to QSFP56 Cable

It provides a QSFP56-to-QSFP56 copper direct-attach solution. 200G QSFP56 DAC cables are suitable for very short links and offer a cost-effective way to establish a 200-Gigabit link between QSFP-200G

0.5m (1.64ft) Dell DAC-Q56-200G-0.5M Compatible 200G QSFP56

Dell DAC-Q56-200G-0.5M compatible DAC is a passive 200Gbps QSFP56 to QSFP56 direct attach cable for use in 200GBASE Ethernet. QSFP56 DAC provides 200Gb/s throughput for 0.5m

200G QSFP28-DD Direct Attach Cable | AscentOptics

200G QSFP28-DD DAC Product Descriptions 200G QSFP28-DD (Double-Density) DAC cables are passive Direct Attach Copper (DAC) cables as high speed, cost-effective alternatives to fiber optics

FS 200G InfiniBand HDR QSFP56 Transceiver and DAC/AOC Cable

Discover the features and applications of FS's 200G QSFP56 InfiniBand HDR transceivers and DAC/AOC cables, each verified by the original NVIDIA devices.

200G QSFP56 Direct Attach Cable | AscentOptics

200G QSFP56 DAC cables are high speed, cost-effective alternatives to fiber optical transceivers in 200G Ethernet and 200Gb/s InfiniBand HDR applications. The QSFP56 direct-attach passive copper

200G / 400G / 800G DAC & AOC Cables for High

Discover high-performance direct-connect and active optical cables for 200G, 400G, and 800G networks with high bandwidth and stable

High-Speed Direct Attached Cable (DAC) Assemblies

Molex High-Speed DAC Assemblies deliver a complete zSFP+ and zQSFP+ interconnect solution across multiple industry standards with data rates as high as 100 Gbps and off-the-shelf and custom lengths

What are the differences between 200G DAC vs AOC Cables?

Discover the differences between 200G AOC and DAC cables, their applications, and transceiver form factors in this comprehensive comparison. Find the perfect connectivity solution for

200G DAC Cable - Aerech Networks

These third-party manufactured cables are programmed and tested to work seamlessly as replacements for original vendor 200G QSFP56 DACs. Ideal for servers, switches, data centers, and high

200G QSFP56 Infiniband HDR Direct Attach Copper Cable

TARLUZ 200G QSFP56 DAC is a cost-effective high-speed cable for 200Gb/s InfiniBand HDR applications. This 200G QSFP56 direct attach cable contains 8 high-speed copper pairs, each

200G-High-Speed-Cable-Assemblies

Siemon's 200G High Speed Cable Assemblies are offered in DACs (Direct Attach Copper Cables), ACCs (Active Copper Cables), AEC (Active Electrical Cables), and AOCs (Active Optical Cables).

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.gmarkconstruction.co.za>

Email: sales@gmarkconstruction.co.za

Phone: +31-6-15-38-72-94

Address: Herengracht 456, 1017 BS Amsterdam, Netherlands

This document is for informational purposes only. Specifications subject to change without notice.

